



November 26<sup>th</sup> 2008

LEED CREDIT & LEED CRITERIA		STILE & RAIL CONSTRUCTION								
KARONA DOOR NOMENCLATURE		Interior 1.375	Interior 1.75	Interior 2.25	Exterior 1.75	Negative Pressure 20 Min.	Positive Pressure 20 Min.	Positive Pressure 45 Min.	Positive Pressure 60 Min.	Positive Pressure 90 Min.
<b>MR 4.1</b>	<b>RECYCLED CONTENT: 10%</b> , (SUM OF POST-CONSUMER + 1/2 PRE-CONSUMER)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>MR 4.2</b>	<b>RECYCLED CONTENT: 20%</b> , (SUM OF POST-CONSUMER + 1/2 PRE-CONSUMER)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>MR 5.1</b>	<b>REGIONAL MATERIALS: 10%</b> (EXTRACTED AND MANUFACTURED REGIONALLY)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>MR 5.2</b>	<b>REGIONAL MATERIALS: 20%</b> (EXTRACTED AND MANUFACTURED REGIONALLY)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>MR 6</b>	<b>RAPIDLY RENEWABLE MATERIAL</b> USE RAPIDLY RENEWABLE BUILDING MATERIALS AND PRODUCTS FOR 2.5% OF THE TOTAL VALUE OF ALL BUILDING MATERIALS AND PRODUCTS USED IN THE PROJECT.	Yes Call Factory for Details	Yes Call Factory for Details	Yes Call Factory for Details	Yes Call Factory for Details	Yes Call Factory for Details	Yes Call Factory for Details	Yes Call Factory for Details	Yes Call Factory for Details	Yes Call Factory for Details
<b>MR 7</b>	<b>Certified Wood</b> USE A MINIMUM OF 70% OF WOOD-BASED MATERIALS AND PRODUCTS, WHICH ARE CERTIFIED IN ACCORDANCE WITH THE FOREST STEWARDSHIP COUNCIL (FSC) PRINCIPLES AND CRITERIA, FOR WOOD BUILDING COMPONENTS. <b>** Extra six-week lead time - Interior 2.25</b>	Yes  See Door List of Models	Yes  See Door List of Models	Yes**  See Door List of Models	Status Pending	Yes  See Door List of Models	Yes	Yes	Yes	Yes

INDOOR ENVIRONMENTAL QUALITY										
<b>EQ 4.4</b>	<b>Low Emitting Materials: Composite Wood</b> <b>**Extra six-week lead time - Interior 1.375 &amp; 2.25</b>	Yes								

MATERIALS & RESOURCES		INTENT
<b>4.1</b>	<b>Recycled Content: 10%</b> , (SUM OF POST-CONSUMER + 1/2 PRE-CONSUMER)	Increase demand for building products that incorporate recycled content materials, thereby reducing impacts resulting from extraction and processing of new virgin materials.
<b>4.2</b>	<b>Recycled Content: 20%</b> , (SUM OF POST-CONSUMER + 1/2 PRE-CONSUMER)	Increase demand for building products that incorporate recycled content materials, thereby reducing impacts resulting from extraction and processing of new virgin materials.
<b>5.1</b>	<b>Regional Materials: 10%</b> (EXTRACTED, PROCESSED AND MANUFACTURED REGIONALLY)	Increase demand for building materials and products that are extracted and manufactured within the region, (500 miles of project site) thereby supporting the use of indigenous resources and reducing the environmental impacts resulting from transportation.
<b>5.2</b>	<b>Regional Materials: 20%</b> (EXTRACTED, PROCESSED AND MANUFACTURED REGIONALLY)	Increase demand for building materials and products that are extracted and manufactured within the region, (500 miles of project site) thereby supporting the use of indigenous and reducing the environmental impacts resulting from transportation.
<b>6</b>	<b>Rapidly Renewable Material</b>	Reduce the use and depletion of finite raw materials and long-cycle renewable materials by replacing them with rapidly renewable materials.
<b>7</b>	<b>Certified Wood</b>	Encourage environmentally responsible forest management.

INDOOR ENVIRONMENTAL QUALITY		INTENT
<b>4.4</b>	<b>Low Emitting Materials:</b> COMPOSITE WOOD	Reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants.

PLEASE CONTACT MANUFACTURE FOR MODEL AVAILABLE IN FSC CONSTRUCTIONS  
 PLEASE CONTACT MANUFACTURE FOR APPLICABLE UPCHARGES FOR OPTIONS LISTED ABOVE